

Yealink

MCoreKit-C4-MS

MCore Pro + MTouch E2





Yealink MCore Pro is a Mini-PC specially designed for Yealink conference room systems. It uses the Intel Core 11th generation i5 processor with excellent performance, providing powerful data processing capabilities for conference room systems. MCore Pro has three built-in HDMI video output interfaces, which support the simultaneous display of three screens to provide a diverse video conferencing experience. Use the TPM 2.0 to keep your data secure. The automatic wake-up screen feature supported by CEC allows you to enjoy the convenient experience by one touch. In addition, the built-in security slot of the MCore Pro can provide you with a simple and reliable deployment experience.

- Intel Core 11th i5 processor
- 3x HDMI out
- Support TPM2.0
- Support CEC
- Built-in security slot
- Built-in EDID
- Support 5K HDMI Out *

About MCore Pro

System Board

- CPU: Core 11th generation i5 processor
Intel i5-1135G7, Intel i5-1145G7
(optional)
- Memory: 8GB(2*4GB) DDR4
- Storage: 128GB SSD

System Preload

- Windows 10 IoT Enterprise
x64 operating system
- Windows 10 IoT Enterprise Licence
- Optional Preload:
 - Microsoft Teams Rooms
 - Zoom Rooms
 - Ringcentral Rooms
- Yealink RoomConnect Management Tool

BIOS Features

- Support TPM2.0
- Support UEFI Secure Boot
- Support Kernel DMA
- Support CEC
- Support EDID

Interface

- 3 X HDMI out *
- 1 X MTouch Port (RJ-45)
- 4 X USB3.0 Type-A Port
- 1 X 10/100/1000 Gigabit Ethernet Port
- 1 X Power Supply Port
- 1 X Security Slot
- WiFi: IEEE 802.11 a/b/g/n/ac/ax
- Bluetooth: BT 5.2

Physical Features

- Dimensions: 168 mm * 197 mm * 39 mm
- Weight: 0.69 kg
- Input: 19V $\overline{\text{---}}$ 74A
- Operating environment humidity: 10-95%
- Operating ambient temperature: 0-40°C

Logistic Information

- Package Content
 - 1 X Yealink MCore Pro
 - 1 X Power Supply
 - 1 X Mount Bracket
 - 3 X HDMI Cable
 - 1 X Quick Start Guide
- N.W/CTN: 0.41 kg
- G.W/CTN: 1.43 kg
- Giftbox Size: 265 mm * 203 mm * 148 mm

* HDMI-1 port supports 5K (21:9)

MTouch E2 is Yealink's third generation conference touch panel. It is an enhancement of MTouch II. Designed with the idea of multi-function all-in-one, the MTouch E2 touch panel allows you to easily perform call control camera control, content sharing and other functions. At the same time, MTouch E2 has a built-in Human Motion Sensor that the conference system can be automatically woken up and you can immediately start the conference.



MTouch E2

- 8-inch IPS screen
- 1280 x 800 resolution
- 10-point capacitive touch screen
- 3.5mm headset jack
- Human Motion Sensor
- Angle adjustable bracket (28° ~ 50°)
- 1080P/30FPS FHD for sharing
- Support wired and wireless content sharing
- Built-in Wi-Fi AP for Yealink wireless presentation device
- HDMI/USB-C video input

Product Dimension (W.D.H)

- Product Dimension (W.D.H)
- MTouch E2: 202mm x 151mm x 100mm
- N.W/CTN: 1.00kg

Package Features

- Carton Meas: 265 mm x 203 mm x 148 mm
- N.W/CTN: 1.00kg
- G.W/CTN: 1.25kg

About Yealink

Yealink (Stock Code: 300628) is a global-leading provider of Unified Communication & Collaboration Solutions specialized in video conferencing, voice communications, and collaboration, dedicated to helping every person and organization embrace the power of "Easy Collaboration, High Productivity".

With best-in-class quality, innovative technology, and user-friendly experiences, Yealink is one of the best providers in more than 140 countries and regions, ranks No.1 in the global market share of IP Phone, and is the Top 5 leader in the video conferencing market (Frost & Sullivan, 2021).

Copyright

Copyright © 2022 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues



YEALINK(XIAMEN) NETWORK TECHNOLOGY
CO.,LTD.

Web: www.yealink.com

Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R. China

Copyright©2022 Yealink Inc. All right reserved